


**CEZOS**  
LED TECHNOLOGY



**NEW DESIGN  
ECO EDGE**



**ALUMINUM  
PROFILES**

SOLUTIONS PROVIDED BY EXPERTS

**NEW SOLUTION  
ECO EDGE**











# TABLE OF CONTENTS

CD07 - 18x7 mm	4
CD07E - 18x7 mm ECO EDGE	5
CD12 - 18x12 mm ECO EDGE	6
CD18 - 18x18 mm ECO EDGE	7
CD13 - 18X13 MM	8
BD13 - 18X13 MM	9
CD20 - 18X20 MM	10
BD20 - 18X20 MM	11
CDH - 18X30 MM	12
BDH - 18X30 MM	13
CDH30 - 18X30 MM ECO EDGE	14
HERBA21 Ø 21 MM	15
CDT18 - 19x30 MM	16
BDT - 25x35 MM	17
CDV19 - 24X19 MM	18
BDV - 24X19 MM	19
CD3030 - 30X30 MM ECO EDGE	20
CDT3030 - 30x46 MM	21
<b>TECHNICAL ALUMINUM LED PROFILES</b>	<b>22</b>
SFERA - 45X41 MM	23
SFERA-T - 60x41 MM	24
KOMBI - 60X80 MM	25
KOMBI-T - 78x80 MM	26
KOMBI HCL - 60X90 MM	27
DWB3332 - 33X32 MM	28
HERBA165 - 100X65 MM	29
DWB4012 - 40X12 MM	30
TOPLIGHT - Ø 55 MM	31
INTERLIGHT - Ø 55 MM	32




# 4 CD07 - 18X7 MM













LT21 - CD07^*	ALU PROFILE CD07 anod.	1,2,3,4,6m *available lengths
LT21 - CD07 - OC^*	OPAL COVER	
LT21 - ECP - 7	2x FULL PLASTIC END CAP	
LT21 - PB - CD	2x PLASTIC MOUNTING BRACKET + SCREWS	

LED PROFILE					
CD07	LT21-CD07^1	LT21-CD07^2	LT21-CD07^3	LT21-CD07^4	LT21-CD07^6
Weight [g]	95	190	285	380	570
Length [mm]	1000	2000	3000	4000	6000
Width [mm]	18,0				
Height [mm]	6,7				
Material	Aluminum				
Finish	Anodised				




**NEW**








LT21 - CD07E^^	ALU PROFILE CD07E	1,2,3,4,6m *available lengths
LT21 - CD - OC^^	OPAL COVER	
LT21 - CD - FC^^	FROSTED COVER	
LT21 - CD - CC^^	CLEAR COVER	
LT21 - ECP - 7	2x FULL PLASTIC END CAP	
LT21 - MB - BDCD	2x METAL MOUNTING BRACKET	
LT21 - PB - CD	2x PLASTIC MOUNTING BRACKET + SCREWS	

LED PROFILE					
CD07E	LT21-CD07E^1	LT21-CD07E^2	LT21-CD07E^3	LT21-CD07E^4	LT21-CD07E^6
Weight [g]	95	190	285	380	570
Length [mm]	1000	2000	3000	4000	6000
Width [mm]				18,4	
Height [mm]				6,4	
Material				Aluminum	
Finish				Anodised	

# CD12 - 18X12 MM ECO EDGE




**NEW**













LT21 - CD12 <sup>^</sup> *	ALU PROFILE CD12	1,2,3,4,6m *available lengths
LT21 - CD - OC <sup>^</sup> *	OPAL COVER	
LT21 - CD - FC <sup>^</sup> *	FROSTED COVER	
LT21 - CD - CC <sup>^</sup> *	CLEAR COVER	
LT21 - ECP - 12	2x FULL PLASTIC END CAP + SCREWS	
LT21 - PB - CD	2x PLASTIC MOUNTING BRACKET + SCREWS	
LT21 - MB - BDCD	2x METAL MOUNTING BRACKET	
LT21 - MB - HRF	2x MOUNTING BRACKET HRF	

LED PROFILE					
CD12	LT21-CD12 <sup>^</sup> 1	LT21-CD12 <sup>^</sup> 2	LT21-CD12 <sup>^</sup> 3	LT21-CD12 <sup>^</sup> 4	LT21-CD12 <sup>^</sup> 6
Weight [g]	148	296	444	592	888
Length [mm]	1000	2000	3000	4000	6000
Width [mm]	18,4				
Height [mm]	11,4				
Material	Aluminum				
Finish	Anodised				








**NEW**









LT21 - CD18 <sup>^</sup> *	ALU PROFILE CD18	1,2,3,4,6m *available lengths
LT21 - CD - OC <sup>^</sup> *	OPAL COVER	
LT21 - CD - FC <sup>^</sup> *	FROSTED COVER	
LT21 - CD - CC <sup>^</sup> *	CLEAR COVER	
LT21 - ECP - 18	2x FULL PLASTIC END CAP + SCREWS	
LT21 - PB - CD	2x PLASTIC MOUNTING BRACKET + SCREWS	
LT21 - MB - BDCD	2x METAL MOUNTING BRACKET	
LT21 - MB - HRF	2x MOUNTING BRACKET HRF	

LED PROFILE					
CD18	LT21-CD18 <sup>^</sup> 1	LT21-CD18 <sup>^</sup> 2	LT21-CD18 <sup>^</sup> 3	LT21-CD18 <sup>^</sup> 4	LT21-CD18 <sup>^</sup> 6
Weight [g]	187	374	561	748	1122
Length [mm]	1000	2000	3000	4000	6000
Width [mm]	18,4				
Height [mm]	17,4				
Material	Aluminum				
Finish	Anodised				






# CD13 - 18X13 MM









LT21 - CD13 <sup>**</sup>	ALU PROFILE CD13	1,2,3,4,6m *available lengths
LT21 - BD - OC <sup>**</sup>	OPAL COVER	
LT21 - BD - FC <sup>**</sup>	FROSTED COVER	
LT21 - ECP - 13	2x FULL PLASTIC END CAP + SCREWS	
LT21 - ECA - 13	2x FULL ALU END CAP + SCREWS	
LT21 - MB - BDCD	2x METAL MOUNTING BRACKET	
LT21 - MB - HRF	2x METAL MOUNTING BRACKET HRF	







LED PROFILE					
CD13	LT21-CD13 <sup>*1</sup>	LT21-CD13 <sup>*2</sup>	LT21-CD13 <sup>*3</sup>	LT21-CD13 <sup>*4</sup>	LT21-CD13 <sup>*6</sup>
Weight [g]	164	328	492	656	948
Length [mm]	1000	2000	3000	4000	6000
Width [mm]	18,4				
Height [mm]	13,0				
Material	Aluminium				
Finish	Anodised				
















LT21 - BD13 <sup>^</sup> *	ALU PROFILE CD13	1,2,3,4,6m *available lengths
LT21 - BD - OC <sup>^</sup> *	OPAL COVER	
LT21 - BD - FC <sup>^</sup> *	FROSTED COVER	
LT21 - ECP - 13	2x FULL PLASTIC END CAP + SCREWS	
LT21 - ECA - 13	2x FULL ALU END CAP + SCREWS	
LT21 - MB - BDCD	2x METAL MOUNTING BRACKET	
LT21 - MB - HRF	2x METAL MOUNTING BRACKET HRF	







LED PROFILE					
BD13	LT21-BD13 <sup>^</sup> *1	LT21-BD13 <sup>^</sup> *2	LT21-BD13 <sup>^</sup> *3	LT21-BD13 <sup>^</sup> *4	LT21-BD13 <sup>^</sup> *6
Weight [g]	190	380	570	760	1140
Length [mm]	1000	2000	3000	4000	6000
Width [mm]	18,4				
Height [mm]	13,0				
Material	Aluminum				
Finish	Anodised				









LT21 - CD20^^	ALU PROFILE CD20	1,2,3,4,6m *available lengths
LT21 - BD - OC^^	OPAL COVER	
LT21 - BD - FC^^	FROSTED COVER	
LT21 - ECP - 20	2x FULL PLASTIC END CAP + SCREWS	
LT21 - ECA - 20	2x FULL ALU END CAP + SCREWS	
LT21 - MB - BDCD	2x METAL MOUNTING BRACKET	
LT21 - MB - HRF	2x METAL MOUNTING BRACKET HRF	

LED PROFILE					
CD20	LT21-CD20^1	LT21-CD20^2	LT21-CD20^3	LT21-CD20^4	LT21-CD20^6
Weight [g]	216	432	648	864	1296
Length [mm]	1000	2000	3000	4000	6000
Width [mm]	18,4				
Height [mm]	19,7				
Material	Aluminum				
Finish	Anodised				









LT21 - BD20^^	ALU PROFILE BD20	1,2,3,4,6m *available lengths
LT21 - BD - OC^^	OPAL COVER	
LT21 - BD - FC^^	FROSTED COVER	
LT21 - ECP - 20	2x FULL PLASTIC END CAP + SCREWS	
LT21 - ECA - 20	2x FULL ALU END CAP + SCREWS	
LT21 - MB - BDCD	2x METAL MOUNTING BRACKET	
LT21 - MB - HRF	2x METAL MOUNTING BRACKET HRF	

LED PROFILE					
BD20	LT21-BD20^1	LT21-BD20^2	LT21-BD20^3	LT21-BD20^4	LT21-BD20^6
Weight [g]	280	560	840	1120	1680
Length [mm]	1000	2000	3000	4000	6000
Width [mm]	18,4				
Height [mm]	19,7				
Material	Aluminum				
Finish	Anodised				



LT21 - CDH <sup>^</sup> *	ALU PROFILE CDH	1,2,3,4,6m *available lengths
LT21 - BD - OC <sup>^</sup> *	OPAL COVER	
LT21 - BD - FC <sup>^</sup> *	FROSTED COVER	
LT21 - ECA - H	2x FULL ALU END CAP + SCREWS	
LT21 - MB - H	2x 5cm ALU MOUNTING PROFILE	


LED PROFILE					
CDH	LT21-CDH <sup>^</sup> 1	LT21-CDH <sup>^</sup> 2	LT21-CDH <sup>^</sup> 3	LT21-CDH <sup>^</sup> 4	LT21-CDH <sup>^</sup> 6
Weight [g]	276	552	828	1104	1656
Length [mm]	1000	2000	3000	4000	6000
Width [mm]				18,4	
Height [mm]				30,0	
Material				Aluminum	
Finish				Anodised	








LT21 - BDH <sup>**</sup>	ALU PROFILE BDH	1,2,3,4,6m *available lengths
LT21 - BD - OC <sup>**</sup>	OPAL COVER	
LT21 - BD - FC <sup>**</sup>	FROSTED COVER	
LT21 - ECA - H	2x FULL ALU END CAP + SCREWS	
LT21 - MB - H	2x 5cm ALU MOUNTING PROFILE	






LED PROFILE					
BDH	LT21-BDH <sup>^</sup> 1	LT21-BDH <sup>^</sup> 2	LT21-BDH <sup>^</sup> 3	LT21-BDH <sup>^</sup> 4	LT21-BDH <sup>^</sup> 6
Weight [g]	412	824	1236	1648	2472
Length [mm]	1000	2000	3000	4000	6000
Width [mm]	18,4				
Height [mm]	30,0				
Material	Aluminum				
Finish	Anodised				

# CDH30 - 18X30 MM ECO EDGE






**NEW**





LT21 - CDH30^^	LALU PROFILE CDH	1,2,3,4,6m *available lengths
LT21 - CD - OC^^	OPAL COVER	
LT21 - CD - FC^^	FROSTED COVER	
LT21 - CD - CC^^	CLEAR COVER	
LT21 - ECA - H	2x FULL ALU END CAP + SCREWS	
LT21 - MB - H	2x 5cm ALU MOUNTING PROFILE	

LED PROFILE					
CDH30	LT21-CDH30*1	LT21-CDH30*2	LT21-CDH30*3	LT21-CDH30*4	LT21-CDH30*6
Weight [g]	311	622	933	1244	1856
Length [mm]	1000	2000	3000	4000	6000
Width [mm]			18,4		
Height [mm]			28,9		
Material			Aluminum		
Finish			Anodised		









**HORTICULTURE SOLUTION**










LT21 - HRB21 <sup>^</sup> *	ALU PROFILE HERBA21	1,2,3,4,6m *available lengths
LT21 - HRB21 - OC <sup>^</sup> *	OPAL COVER	
LT21 - HRB21 - CC <sup>^</sup> *	CLEAR COVER	
LT21 - ECP - HRB21	2x FULL PLASTIC END CAP	
LT21 - MB - HRB21	2x METAL MOUNTING BRACKET	

LED PROFILE					
HERBA21	LT21-HRB21 <sup>^</sup> *1	LT21-HRB21 <sup>^</sup> *2	LT21-HRB21 <sup>^</sup> *3	LT21-HRB21 <sup>^</sup> *4	LT21-HRB21 <sup>^</sup> *6
Weight [g]	223	446	669	892	1338
Length [mm]	1000	2000	3000	4000	6000
Width [mm]	20,7				
Height [mm]	13,5				
Material	Aluminum				
Finish	Anodised				








# CDT18 - 19X30 MM









LT21 - CDT18 <sup>^*</sup>	ALU PROFILE CDT18	1,2,3,4,6m *available lengths
LT21 - CD - OC <sup>^*</sup>	OPAL COVER	
LT21 - CD - FC <sup>^*</sup>	FROSTED COVER	
LT21 - CD - CC <sup>^*</sup>	CLEAR COVER	
LT21 - ECA - 18T	1x FULL ALU END CAP + SCREWS	
LT21 - MB - S	MOUNTING BRACKET WITH SPRING	
LT21 - MB - BDCD	2x METAL MOUNTING BRACKET	
LT21 - MB - HRF	2x METAL MOUNTING BRACKET HRF	







LED PROFILE					
CDT18	LT21-CDT18 <sup>^1</sup>	LT21-CDT18 <sup>^2</sup>	LT21-CDT18 <sup>^3</sup>	LT21-CDT18 <sup>^4</sup>	LT21-CDT18 <sup>^6</sup>
Weight [g]	148	296	444	592	888
Length [mm]	1000	2000	3000	4000	6000
Width [mm]	30.4 / 18.4				
Height [mm]	19.2				
Material	Aluminum				
Finish	Anodised				
















LT21 - BDT <sup>^</sup> *	ALU PROFILE BDT	1,2,3,4,6m *available lengths
LT21 - BD - OC <sup>^</sup> *	OPAL COVER	
LT21 - BD - FC <sup>^</sup> *	FROSTED COVER	
LT21 - ECA - BDT	1x FULL ALU END CAP + SCREWS	
LT21 - MB - S	MOUNTING BRACKET WITH SPRING	
LT21 - MB - BDCD	2x METAL MOUNTING BRACKET	
LT21 - MB - HRF	2x METAL MOUNTING BRACKET HRF	





LED PROFILE					
BDT	LT21-BDT <sup>^</sup> *1	LT21-BDT <sup>^</sup> *2	LT21-BDT <sup>^</sup> *3	LT21-BDT <sup>^</sup> *4	LT21-BDT <sup>^</sup> *6
Weight [g]	280	560	840	1120	1680
Length [mm]	1000	2000	3000	4000	6000
Width [mm]	35.0 / 18.4				
Height [mm]	25.0				
Material	Aluminum				
Finish	Anodised				



LT21 - CDV19^*	ALU PROFILE CDV19	1,2,3,4,6m *available lengths
LT21 - BD - OC^*	OPAL COVER	
LT21 - BD - FC^*	FROSTED COVER	
LT21 - ECA - V	2x FULL ALU END CAP + SCREWS	
LT21 - PB - V	2x PLASTIC MOUNTING BRACKET + SCREWS	


LED PROFILE					
CDV19	LT21-CDV19^1	LT21-CDV19^2	LT21-CDV19^3	LT21-CDV19^4	LT21-CDV19^6
Weight [g]	239	478	717	956	1434
Length [mm]	1000	2000	3000	4000	6000
Width [mm]	23,71				
Height [mm]	16,66				
Material	Aluminum				
Finish	Anodised				








LT21 - BDV <sup>^</sup> *	ALU PROFILE CDV19	1,2,3,4,6m *available lengths
LT21 - BD - OC <sup>^</sup> *	OPAL COVER	
LT21 - BD - FC <sup>^</sup> *	FROSTED COVER	
LT21 - ECA - V	2x FULL ALU END CAP + SCREWS	
LT21 - PB - V	2x PLASTIC MOUNTING BRACKET + SCREWS	

LED PROFILE					
BDV	LT21-BDV <sup>^</sup> 1	LT21-BDV <sup>^</sup> 2	LT21-BDV <sup>^</sup> 3	LT21-BDV <sup>^</sup> 4	LT21-BDV <sup>^</sup> 6
Weight [g]	400	800	1200	1600	2400
Length [mm]	1000	2000	3000	4000	6000
Width [mm]	23,71				
Height [mm]	16,66				
Material	Aluminum				
Finish	Anodised				

# CD3030 - 30X30 MM ECO EDGE







**NEW**



LT21 - CD3030^^	ALU PROFILE CD3030	1,2,3,4,6m *available lengths
LT21 - CD30 - OC^^	OPAL COVER	
LT21 - ECP - 30	2x FULL PLASTIC END CAP + SCREWS	
LT21 - ECA - 30	2x FULL ALU END CAP + SCREWS	
LT21 - MB - HRF	2x METAL MOUNTING BRACKET HRF	

LED PROFILE					
CD3030	LT21-CD3030^1	LT21-CD3030^2	LT21-CD3030^3	LT21-CD3030^4	LT21-CD3030^6
Weight [g]	514	1028	1542	2056	3084
Length [mm]	1000	2000	3000	4000	6000
Width [mm]	30,0				
Height [mm]	29,4				
Material	Aluminum				
Finish	Anodised				




LT21 - CDT3030**	ALU PROFILE CDT3030	1,2,3,4,6m *available lengths
LT21 - CD30 - OC**	OPAL COVER	
LT21 - ECP - 30T	2x FULL PLASTIC END CAP + SCREWS	
LT21 - ECA - 30T	2x FULL ALU END CAP + SCREWS	
LT21 - MB - S	MOUNTING BRACKET WITH SPRING	
LT21 - MB - HRF	2x METAL MOUNTING BRACKET HRF	


LED PROFILE					
CDT3030	LT21-CDT3030*1	LT21-CDT3030*2	LT21-CDT3030*3	LT21-CDT3030*4	LT21-CDT3030*6
Weight [g]	559	1118	1677	2236	3354
Length [mm]	1000	2000	3000	4000	6000
Width [mm]	46,0 / 30,0				
Height [mm]	30				
Material	Aluminum				
Finish	Anodised				

# TECHNICAL ALUMINUM LED PROFILES


COMMERCIAL AND INDUSTRIAL APPLICATION




POTTING SERVICE



SPACE FOR POWER SUPPLY INSIDE






HORTICULTURE LIGHTING



WATER RESISTANT IP64








**COMPATIBLE WITH LEDIL FLORENCE OPTIC**

LT21 - SFERA^4.7	ALU PROFILE SFERA	4.7 m
LT21 - SFERAH^4.7	HOLDER PROFILE	
LT21 - ECA - SF	ALU FULL END CAP + SCREWS	
LT21 - SC	STEEL CLIP FOR FIXING MODULES	

LED PROFILE		
SFERA	SFERA PROFILE	SFERA HOLDER
Weight [g]	3901	2068
Length [mm]		4700
Width [mm]		45
Height [mm]	41,4	15,5
Material		Aluminum
Finish		Anodised





**COMPATIBLE WITH LEDIL  
LINNEA OPTIC**





LT21 - SFERAT^4.7	ALU PROFILE SFERA	4.7 m
LT21 - SFERAH^4.7	HOLDER PROFILE	
LT21 - ECA - SFT	ALU FULL END CAP + SCREWS	
LT21 - SC	STEEL CLIP FOR FIXING MODULES	

LED PROFILE		
SFERA T	SFERA T PROFILE	SFERA HOLDER
Weight [g]	3948	2068
Length [mm]	4700	
Width [mm]	60 / 45	45
Height [mm]	41,4	15,5
Material	Aluminum	
Finish	Anodised	








LT21 - KOMBI^5	ALU PROFILE KOMBI	4.7m
LT21 - KOMBIINS^5	INSERT PROFILE	
LT21 - KOMBIREF^5	REFLECTOR PROFILE WHITE	
LT21 - KOMBI - OC^5	OPAL COVER	
LT21 - KOMBI - CC^5	CLEAR COVER	
LT21 - ECA - KOM	ALU END CAP + SCREWS	
LT21 - ECA - KOM - NS	ALU END CAP WITHOUT SCREWS	
LT21 - MB - KOM	MOUNTING FOR SUSPENDED LINK	
CT15LI2 / 1,2UCSTNY	SUSPEDED LINK "Y" WITH LINK 2m	
LT21 - SC	STEEL CLIP FOR FIXING MODULES	





LED PROFILE			
KOMBI	KOMBI PROFILE	INSERT PROFILE	KOMBI REFLECTOR
Weight [g]	6251	2632	329
Length [mm]		4700	
Width [mm]	60	57,3	11,9
Height [mm]	80	13,1	224
Material		Aluminum	
Finish		Anodised	




LT21 - KOMBIT^5	ALU PROFILE KOMBI-T	4.7m
LT21 - KOMBIINS^5	INSERT PROFILE	
LT21 - KOMBIREF^5	REFLECTOR PROFILE WHITE	
LT21 - KOMBI - OC^5	OPAL COVER	
LT21 - KOMBI - CC^5	CLEAR COVER	
LT21 - ECA - KOMT	ALU END CAP + SCREWS	
LT21 - MB - KOMT	MOUNTING BRACKET FOR KOMBI T	
LT21 - MBS - KOMT	SUPPORT TO MOUNTING BRACKET ROTATE TO RECESSE	
LT21 - MB - KOM	MOUNTING FOR SUSPEDED LINK	
CT15LI2 / 1,2UCSTNY	SUSPEDED LINK "Y" WITH LINK 2m	
LT21 - SC	STEEL CLIP FOR FIXING MODULES	



LED PROFILE			
KOMBI T	KOMBI T PROFILE	INSERT PROFILE	KOMBI REFLECTOR
Weight [g]	6721	2632	329
Length [mm]		4700	
Width [mm]	78 / 60	57,3	11,9
Height [mm]	80	13,1	224
Material		Aluminum	
Finish		Anodised	








LT21 - KOMBIHCL^5	ALU PROFILE KOMBI-HCL	4.7m
LT21 - KOMBIINS^5	INSERT PROFILE	
LT21 - KOMBIREF^5	REFLECTOR PROFILE WHITE	
LT21 - KOMBI - OC^5	OPAL COVER	
LT21 - KOMBI - CC^5	CLEAR COVER	
LT21 - KOMBI - CCN^5	CLEAR NARROW COVER	
LT21 - ECA - KOMH	ALU END CAP + SCREWS	
LT21 - ECA - KOMH - NS	ALU END CAP WITHOUT SCREWS	
LT21 - MB - KOM	MOUNTING FOR SUSPENDED LINK	
CT15LI2 / 1,2UCSTNY	SUSPEDED LINK «Y» WITH LINK 2m	
LT21 - SC	STEEL CLIP FOR FIXING MODULES	



## LED PROFILE



KOMBI HCL	KOMBI HCL PROFILE	INSERT PROFILE	KOMBI REFLECTOR
Weight [g]	6251	2632	329
Length [mm]		4700	
Width [mm]	60	57,3	11,9
Height [mm]	90	13,1	224
Material		Aluminum	
Finish		Anodised	





ALU PROFIL DWB33 anod.	1,2,3,4,6 m *available lengths
------------------------	-----------------------------------



Innovative design of profile.  
Compatible with Darcoo Blacklight optic.







**HORTICULTURE SOLUTION**





LT21 - HRB165^^	ALU PROFILE HERBA165	1,2,3,4,6m *available lengths
LT21 - ECA - HRB165	ALU END CAP FULL	
LT21 - ECA1X16 - HRB165	ALU END CAP WITH 1x M16 HOLE	
LT21 - ECA1X20 - HRB165	ALU END CAP WITH 1x M20 HOLE	
LT21 - ECA2X20 - HRB165	ALU END CAP WITH 2x M20 HOLES	

LED PROFILE					
TOPLIGHT	LT21-TOPL^1	LT21-TOPL^2	LT21-TOPL^3	LT21-TOPL^4	LT21-TOPL^6
Weight [g]	850	1700	2550	3400	5100
Length [mm]	1000	2000	3000	4000	6000
Width [mm]	Ø 55				
Material	Aluminum				
Finish	Anodised				






LT21 - DWB40^^	ALU PROFILE DWB40	1,2,3,4,6m *available lengths
LT21 - DWB40 - OC^^	OPAL COVER	
LT21 - ECP - DWB40	PLASTIC FULL END CAP	

LED PROFILE					
DWB4012	LT21-DWB40^1	LT21-DWB40^2	LT21-DWB40^3	LT21-DWB40^4	LT21-DWB40^6
Weight [g]	55	110	165	220	330
Length [mm]	1000	2000	3000	4000	6000
Width [mm]	40				
Height [mm]	12				
Material	Aluminum				
Finish	Anodised				





**WATER RESISTANT IP64  
HORTICULTURE SOLUTION**





LT21 - HRB165^^	ALU PROFILE TOPLIGHT	1,2,3,4,6m *available lengths
LT21 - ECA - HRB165	CLEAR COVER	
LT21 - ECA1X16 - HRB165	PLASTIC FULL END CAP	
LT21 - ECA1X20 - HRB165	PLASTIC HOLDER	

LED PROFILE					
TOPLIGHT	LT21-TOPL^1	LT21-TOPL^2	LT21-TOPL^3	LT21-TOPL^4	LT21-TOPL^6
Weight [g]	850	1700	2550	3400	5100
Length [mm]	1000	2000	3000	4000	6000
Width [mm]	Ø 55				
Material	Aluminum				
Finish	Anodised				



**WATER RESISTANT IP64  
HORTICULTURE SOLUTION**




LT21 - INT**	ALU PROFILE INTERLIGHT	1,2,3,4,6m *available lengths
LT21 - TOPL - CC**	CLEAR COVER	
LT21 - ECP - INTOP	PLASTIC FULL END CAP	
LT21 - PB - INTOP	PLASTIC HOLDER	

LED PROFILE					
INTERLIGHT	LT21-INT*1	LT21-INT*2	LT21-INT*3	LT21-INT*4	LT21-INT*6
Weight [g]	850	1700	2550	3400	5100
Length [mm]	1000	2000	3000	4000	6000
Width [mm]	Ø 55				
Material	Aluminum				
Finish	Anodised				




# OUR OTHER PRODUCTS AND SERVICES



## ROLLI

An advanced mechanism that allows you to adjust the height of the lighting fixture




## FIBREEMITY

Fibre Optic Illuminators with LED light source




## LAMPPARTS

A wide range of lamp parts



## LED CONTROLLERS

Drivers for LED light sources designed and manufactured by the customer requirements



## LED MODULES

An innovative solution developed for more efficient light sources



## HORTICULTURE

LED modules designed to support plant cultivation




## POTTING SERVICE

Enhanced protection for electronics with polyurethane potting



## LTS

Professional assistance in choosing and designing light source, drivers and controllers.







## **CONTACT US!**

---

Address: CEZOS sp. z o.o. sp. k.  
ul. Olgerda 88 B, 81-534 Gdynia, Poland

Phone : +48 58 664 88 61  
E-mail : [cezos@cezos.com](mailto:cezos@cezos.com)

[www.cezos.com](http://www.cezos.com)